

Chemistry Standard level Paper 1

Thursday 12 May 2016 (morning)

45 minutes

Instructions to candidates

- Do not open this examination paper until instructed to do so.
- Answer all the questions.
- For each question, choose the answer you consider to be the best and indicate your choice on the answer sheet provided.
- The periodic table is provided for reference on page 2 of this examination paper.
- The maximum mark for this examination paper is [30 marks].

12 13 14<		14 15 31 12.01 14.0 33 12.01 14.0 38 28.09 30.9 39 28.09 30.9 30 32 33 31 14 15 32 33 33 33 32 33 33 32 33 34 12.11 144 33 32 33 33 32 33 33 32 33 33 32 33 33 32 33 33 32 33 33 32 33 34 118.71 121.1 33 114 115 33 114 115 33 207.2 208.9 33 114 115 33 114 115 33 114 115 33 109 (288) 33 169 (288) 34 66 69 68 69 69
	12 13 12 13 12 13 5 10.81 13 AI 13 AI 13 AI 26.98 31 13 AI 13 AI 26.98 69.72 13 AI 1448 49 26.98 69.72 112 114.8 112 114.8 112 112 112 113 200.59 204.3 3162.50 (285) 164.9 66 66 67 164.9 164.9	12 13 14 15 5 6 7 5 6 7 5 6 7 10.81 12.01 14.0 13 30 31 32 30 31 32 33 30 31 32 33 7 112.01 14.1 15 80 81 80 81 83 80 81 82 83 80 81 82 83 112 114.182 118.71 121.1 112 114.82 72.66 83 80 81 82 83 80 81 82 83 80 81 82 83 112 113 114 115 112 113 114 115 112 113 114 115 112 113 114 115 111 113 114 115 112 113 114 115 113 114 100 114 113 114 115 114 110 113 114

- 1. Which equation represents sublimation?
 - A. $2Al(s) + 3I_2(g) \rightarrow 2AlI_3(s)$
 - $\mathsf{B}. \qquad \mathsf{HgCl}_2(\mathsf{s}) \to \mathsf{HgCl}_2(\mathsf{g})$
 - $\mathsf{C}. \quad \mathrm{I_2}(g) \to \mathrm{I_2}(s)$
 - D. $CaCO_3(s) + 2HCl(aq) \rightarrow CaCl_2(aq) + CO_2(g) + H_2O(l)$
- 2. For which compound is the empirical formula the same as the molecular formula?

	Empirical formula	Molar mass / gmol⁻¹
A.	CO₂H	90
В.	CH ₃ O	62
C.	C ₂ H ₄ O	88
D.	C ₄ H ₈ O	72

 $A_{r}(H) = 1; A_{r}(C) = 12; A_{r}(O) = 16$

- 3. In which mixture is NaOH the limiting reagent?
 - A. $0.20 \text{ mol NaOH} + 0.10 \text{ mol H}_2\text{SO}_4$
 - B. 0.10 mol NaOH + 0.10 mol H_2SO_4
 - C. 0.20 mol NaOH + 0.10 mol HNO₃
 - $D. \qquad 0.10\,mol\,\,NaOH+0.10\,mol\,\,HNO_3$
- 4. Why do gases deviate from the ideal gas law at high pressures?
 - A. Molecules have finite volume.
 - B. Cohesive forces increase the volume from the ideal.
 - C. Increasing pressure increases the temperature of the gas.
 - D. Collisions between molecules occur more frequently as pressure increases.

- **5.** Which is correct for the chromium isotope ${}^{53}_{24}$ Cr?
 - A. 24 neutrons and 53 nucleons
 - B. 24 protons and 29 nucleons
 - C. 24 protons and 29 neutrons
 - D. 24 electrons and 53 neutrons
- **6.** Which electron configuration is correct for the selenide ion, Se^{2-} ?
 - A. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 4d^{10} 4p^4$
 - B. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 4d^{10} 4p^6$
 - C. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 3d^{10} 4p^4$
 - D. $1s^2 2s^2 2p^6 3s^2 3p^6 4s^2 3d^{10} 4p^6$
- 7. Which element is a metalloid?
 - A. Co
 - B. As
 - C. Cs
 - D. Es
- 8. Which periodic trend is described correctly?

	Trend in	Down the group (top to bottom)	Across the period (left to right)
A.	atomic radius	increases	increases
В.	ionic radius	decreases	increases
C.	first ionization energy	decreases	decreases
D.	electronegativity	decreases	increases

- 9. Which molecule is non-polar?
 - A. OF₂
 - B. NH₃
 - C. BF₃
 - D. SO₂
- 10. Which compound contains both ionic and covalent bonds?
 - A. SiH₄
 - B. NaNO₃
 - C. H_2CO
 - D. Na₂S
- 11. Which compound has resonance structures?
 - A. C₆H₁₂
 - B. CH₃CHO
 - C. NaBr
 - D. Na₂CO₃
- 12. Which of the following are van der Waals' forces?
 - I. Dipole-dipole forces
 - II. Hydrogen bonds
 - III. London (dispersion) forces
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

13. When $25.0 \text{ cm}^3 0.100 \text{ mol dm}^{-3} \text{ NaOH}(aq)$ is mixed with $25.0 \text{ cm}^3 0.100 \text{ mol dm}^{-3} \text{ HCl}(aq)$ at the same temperature, a temperature rise, ΔT , is recorded. What is the expression, in kJ mol⁻¹, for the enthalpy of neutralisation? (Assume the density of the mixture = 1.00 g cm^{-3} and its specific heat capacity = $4.18 \text{ kJ kg}^{-1} \text{ K}^{-1} = 4.18 \text{ J g}^{-1} \text{ K}^{-1}$)

$$A. \quad -\frac{25.0\times4.18\times\Delta T}{50.0\times0.100}$$

B.
$$-\frac{25.0 \times 4.18 \times \Delta T}{25.0 \times 0.100}$$

C.
$$-\frac{50.0 \times 4.18 \times \Delta T}{50.0 \times 0.100}$$

D. $-\frac{50.0 \times 4.18 \times \Delta T}{25.0 \times 0.100}$

14. What is the enthalpy of formation of ethyne, in kJ mol⁻¹, represented by the arrow **Y** on the diagram?



- $A. \quad -788 286 + 1301 \\$
- B. -788-286-1301
- C. ~~+788 + 286 1301
- D. + 788 + 286 + 1301

- **15.** Which equation represents the average bond enthalpy of the Si–H bond in SiH₄?
 - $A. \qquad SiH_{_4}(g) \rightarrow SiH_{_3}(g) + H(g)$
 - $\mathsf{B}. \qquad \frac{1}{4}\,\mathsf{SiH}_{\!_{\,\!4}}(g) \rightarrow \frac{1}{4}\,\mathsf{Si}\,(g) + \mathsf{H}\,(g)$
 - $C. \qquad SiH_4(g) \rightarrow SiH_3(g) + \frac{1}{2}H_2(g)$
 - $D. \qquad SiH_4(g) \rightarrow Si(g) + 4H(g)$
- 16. Which conditions must be met for a reaction to take place?
 - I. Reactants collide with sufficient energy.
 - II. Reactants collide with correct orientation.
 - III. Reactants must be in the same state.
 - A. I and II only
 - B. I and III only
 - C. II and III only
 - D. I, II and III

17. Graph 1 shows a plot of volume of $CO_2(g)$ against time for the reaction of $CaCO_3(s)$ with 1.00 mol dm⁻³ HCl (aq). The acid is the limiting reagent and entirely covers the lumps of $CaCO_3(s)$.

Which set of conditions is most likely to give the data plotted in graph 2 when the same mass of $CaCO_3(s)$ is reacted with the same volume of HCl (aq) at the same temperature?



_	
- L I	mo
	IIIC

	Size of lumps	Concentration of acid / mol dm ⁻³
A.	larger	1.00
В.	smaller	0.05
C.	smaller	1.00
D.	larger	0.05

18. What is the effect of increasing temperature on the equilibrium?

$$CINO_2(g) + NO(g) \rightleftharpoons CINO(g) + NO_2(g)$$
 $\Delta H^{\circ} = -18.4 \text{ kJ}$

	Position of equilibrium	K _c
A.	moves to left	decreases
В.	moves to left	no change
C.	moves to right	no change
D.	moves to right	increases

19. Which is a conjugate Brønsted–Lowry acid-base pair?

 $CH_3COOH(aq) + H_2O(l) \rightleftharpoons CH_3COO^{-}(aq) + H_3O^{+}(aq)$

- A. CH_3COO^-/H_3O^+
- B. H_2O / CH_3COO^-
- C. H_2O / H_3O^+
- D. CH₃COOH / H₂O
- 20. Which of the following gases does not result in acid deposition?
 - A. CO₂
 - B. NO₂
 - C. NO
 - D. SO₂
- **21.** Applying IUPAC rules, what is the name of MnO_2 ?
 - A. Magnesium(II) oxide
 - B. Manganese(II) oxide
 - C. Magnesium(IV) oxide
 - D. Manganese(IV) oxide
- 22. Which statement is correct for a voltaic but not for an electrolytic cell?
 - A. An electrolyte is required.
 - B. The anode is where oxidation occurs.
 - C. lons move in the electrolyte.
 - D. Electrons flow from the negative electrode to the positive electrode.

- **23.** How many alcohols have the general formula $C_4H_{10}O$?
 - A. 3
 - B. 4
 - C. 5
 - D. 6
- 24. What is the general formula of the alkyne series?
 - A. $C_n H_n$
 - $\mathsf{B}. \mathsf{C}_{n}\mathsf{H}_{2n-2}$
 - C. $C_n H_{2n}$
 - D. $C_n H_{2n+2}$
- **25.** Which compound can both be esterified and turn acidified potassium dichromate(VI) solution green?
 - A. (CH₃)₃COH
 - B. CH₃CH₂CO₂H
 - C. (CH₃)₂CHOH
 - D. $CH_3CH_2COCH_3$
- 26. What is the mechanism of the reaction between ethane and chlorine in sunlight?
 - A. Free radical substitution
 - B. Free radical addition
 - C. Electrophilic substitution
 - D. Electrophilic addition

- **27.** A measuring cylinder was used to obtain a known volume of a liquid. The volume was read from the top of the meniscus and the liquid completely emptied into a flask. The exact same process was then repeated. Which statement is correct about the overall described procedure and the volumes measured?
 - A. There is a systematic error and the volumes measured are accurate.
 - B. There is a random error and the volumes measured are accurate.
 - C. There is a random error and the volumes measured are inaccurate.
 - D. There is a systematic error and the volumes measured are inaccurate.
- 28. What is the relationship between the two variables sketched on the graph?



- A. *y* is proportional to *x*
- B. y is inversely proportional to x
- C. *y* is proportional to -x
- D. y decreases exponentially with an increase in x
- **29.** Which feature of a molecule can be determined from its ¹H NMR spectrum?
 - A. Number of hydrogen environments
 - B. Total mass of hydrogen atoms present
 - C. Vibration frequency of C–H bonds
 - D. Ionization energy of a hydrogen atom

- **30.** Which molecule has an index of hydrogen deficiency (IHD) = 1?
 - $\mathsf{A.} \quad \mathsf{C}_{6}\mathsf{H}_{6}$
 - B. C_2Cl_2
 - C. C_4H_9N
 - D. C_2H_6O